# SECTION 1: MATERIAL AND COMPANY IDENTIFICATION

Product Name:	Hartland Supreme SynBlend Engine Oils 5W20, 5W30, 10W30
Uses:	Engine Oil
Distributor:	Hartland Lubricants & Chemicals 914 Commercial Court Onalaska, WI 54650 608-779-6353
Emergency:	PROFESSIONAL EMERGENCY RESOURCE SERVICES (PERS) 1-800-633-8253
<b>REVISION DATE:</b>	May 1, 2012

### SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients	CAS#	Concentration
Highly Refined Petroleum Oils	Mixture	60 - 90 % volume
Synthetic Hydrocarbon Base Oil	Mixture	10 - 35 % volume
Proprietary Additives (contains	Mixture	1 - 5 % volume
<1% Zinc		

# SECTION 3: HAZARDS IDENTIFICATION

### Emergency Overview

Appearance and Odor:	Pale liquid. Mild odor.
Health Hazards:	No known immediate health hazards.
Physical Hazards:	No known physical hazards.
NFPA Rating (Health, Fire, Re	activity): 0, 1, 0

Hazard Rating: Least - 0 Slight - 1 Moderate - 2 High - 3 Extreme - 4

#### Routes of Exposure Skin

#### Inhalation:

Inhalation of vapors (generated at high temperatures only) or oil mist may cause mild irritation of the nose, throat, and respiratory tract.

### Eye Irritation:

Lubricating oils are generally considered no more than minimally irritating to the eyes.

### Skin Contact:

Lubricating oils are generally considered no more than minimally irritating to the skin. Prolonged and repeated contact may result in defatting and drying or the skin that may cause various skin disorders such as dermatitis, folluculitis or oil acne.

#### Ingestion:

Lubricating oils are generally no more than slightly toxic if swallowed.

#### **Other Health Effects:**

The International Agency for Research on Cancer (IARC) has determined there is sufficient evidence for the carcinogenicity in experimental animals of used gasoline motor oils. Handling procedures and safety precautions in the MSDS should be followed to minimize exposure to the used product.

#### Signs and Symptoms:

Irritation as noted above.

## Aggravated Medical Conditions:

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure to this product. For additional health information, refer to Section 11.

# SECTION 4: FIRST AID MEASURES

### Inhalation:

Remove victim to fresh air and provide oxygen if breathing is difficult. Get medical attention. **Skin:** 

Remove contaminated clothing and shoes and wipe excess from skin. Flush skin with water, then wash with soap and water. If irritation occurs, get medical attention. Do not reuse clothing until cleaned. **Eye:** 

Flush with water. If irritation occurs, get medical attention.

### Ingestion:

Do not induce vomiting. In general, no treatment is necessary unless large quantities of product are ingested. However, get medical attention.

### Note to Physician:

In general, emesis induction is unnecessary in high viscosity, low volatility products such as oils and greases.

## SECTION 5: FIRE FIGHTING MEASURES

Flash Point (Method):	>400°F / >204.44°C (Cleveland Open Cup)
Upper Flammability Limit:	Not Determined
Lower Flammability Limit:	Not Determined

## Extinguishing Media:

This material is non-flammable. Material will float and can be re-ignited on surface of water. Use water fog, "alcohol foam", dry chemical or carbon dioxide (CO2) to extinguish flames. Do not use a direct stream of water.

## **Fire Fighting Instructions:**

Do not enter confined fire space without full bunker gear (helmet with face shield, bunker coats, gloves and rubber boots), including a positive pressure, NIOSH approved, self-contained breathing apparatus. This material is non-flammable.

## **Unusual Fire Hazards:**

Material may ignite when preheated.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### **Protective Measures:**

May burn although not readily ignitable. Dike and contain spills. Wear appropriate personal protective equipment when cleaning up spills. Refer to SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION.

#### Spill Management:

For large spills – Remove with vacuum truck or pump to storage / salvage vessels.

For small spills – Soak up residue with an absorbent such as clay, sand or other suitable material. Place in non-leaking container and seal tightly for proper disposal.

## **Reporting:**

CERCLA: Product is covered by EPA's Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) petroleum exclusion. Releases to air, land, or water are not reportable under CERCLA (Superfund).

**CWA:** This product is an oil as defined under Section 311 of EPA's Clean Water Act (CWA). Spills into or leading to surface waters that cause a sheen must be reported to the National Response Center, 1-800-424-8802.

## SECTION 7: HANDLING AND STORAGE

### **Precautionary Measures:**

Wash with soap and water before eating, drinking, smoking, applying cosmetics, or using the toilet. Launder contaminated clothing before reuse. Properly dispose of contaminated leather articles such as shoes or belts that cannot be decontaminated. Avoid heat, open flames, including pilot lights, and strong oxidizing agents. Use explosion-proof ventilation to prevent vapor accumulation. Ground all handling equipment to prevent sparking.

### Storage:

Do not store in open or unlabeled containers. Store in a cool, dry place with adequate ventilation. Keep away form open flames and high temperatures.

#### **Container Warnings:**

Keep containers closed when not in use. Containers, even those that have been emptied, can contain explosive vapors. Do not cut, drill, grind, weld or perform similar operations on or near containers.

Chemical	Limit	TWA	STEL	Ceiling	Notation
Oil Mist,	ACGIH TLV	5 mg/m3	10 mg/m3		
mineral					
Oil Mist,	OSHA PEL	5 mg/m3			
mineral					
Polyalphaolefin	ACGIH TLV	5 mg/m3	10 mg/m3		
Polyalphaolefin	OSHA PEL	5 mg/m3			

# SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Controls:**

Provide adequate ventilation to control airborne concentrations below the exposure guidelines / limits.

## **Personal Protection:**

Personal protective equipment (PPE) selections vary based on potential exposure conditions such as handling practices, concentration and ventilation. Information on the selection of eye, skin, and respiratory protection for use with this material is provided below.

## Eye Protection:

Chemical goggles, or Safety glasses with side shields

#### **Skin Protection:**

Use protective clothing which is chemically resistant to this material. Selection of protective clothing depends on potential exposure conditions and may include gloves, boots, suits and other items. The selection(s) should take into account such factors as job task, type of exposure and durability requirements. Published literature, test data and/or glove and clothing manufacturers indicate the best protection is provided by: Neoprene, or Nitrile Rubber.

#### **Respiratory Protection:**

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of the OSHA Respiratory Protection Standard, 29 CFR 1910.134.

Types of respirators to be considered in the selection process include:

For Mist: Air Purifying, R or P style NIOSH approved respirator.

For Vapors: Air Purifying, R or P style pre-filter & organic cartridge, NIOSH approved respirator. Selfcontained breathing apparatus for use in environments with unknown concentrations or emergency situations.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance & Odor:	Pale liquid. Mild odor.
Substance Chemical Family:	Lubricants.
Physical State:	Liquid.
Odor Threshold:	Not Determined.
Partition Co-efficient:	Not Determined.
pH:	Not Determined.

Flash Point	>400°F (Cleveland Open Cup)	Pour Point	-45°F
Specific Gravity	0.86 – 0.88	Viscosity	25 cST – 75 cST @ 40°C

# SECTION 10: REACTIVITY AND STABILITY

#### Stability:

Material is stable under normal conditions.

#### **Conditions to Avoid:**

Avoid heat and open flames

#### Materials to Avoid:

Avoid contact with strong oxidizing agents.

#### **Hazardous Decomposition Products:**

Thermal decomposition products are highly dependent on combustion conditions. A complex mixture of airborne solids, liquids and gases will evolve when this material undergoes pyrolysis or combustion. Aldehydes, Carbon Monoxide, Carbon Dioxide, Ketones and other unidentified organic compounds may be formed upon combustion.

# SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity					
TEST RESULT OSHA MATERIAL TESTE CLASSIFICATION					
Dermal LD50	>5.0g/kg (Rabbit)	Non-Toxic	Based on components		
Oral LD50	>5.0g/kg (Rat)	Non-Toxic	Based on components		

#### Carcinogenicity Classification

Chemical Name	NTP	IARC	ACGIH	OSHA
Synthetic Blend Motor Oil	No	No	No	No

## SECTION 12: ECOLOGICAL INFORMATION

#### **Environmental Impact Summary:**

There is no ecological data available for this product. However, this product is an oil. It is persistent and does not readily biodegrade. However, it does not bio-accumulate.

# SECTION 13: DISPOSAL CONSIDERATIONS

#### **RCRA** Information:

Under RCRA, it is the responsibility of the user of the material to determine, at the time of the disposal, whether the material meets RCRA criteria for hazardous waste. This is because material uses, transformations, mixtures, processes, etc. may affect the classification. Refer to the latest EPA, state and local regulations regarding proper disposal.

#### SECTION 14: TRANSPORT INFORMATION

## **US Department of Transportation Classification**

This material is not subject to DOT regulations under 49 CRF Parts 171-180.

**Oil:** This product is an oil under 49 CFR (DOT) Part 130. If shipped by rail or highway in a tank with a capacity of 3500 gallons or more, it is subject to these requirements. Mixtures or solutions containing 10% or more of this product may also be subject to this rule.

# International Air Transport Association

Not regulated under IATA rules.

#### International Maritime Organization Classification

Not regulated under International Maritime Organization rules.

#### SECTION 15: REGULATORY INFORMATION

#### Federal Regulatory Status

Under normal conditions of use or in a foreseeable emergency, this product does not meet the definition of a hazardous chemical when evaluated according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.



**OSHA Classification:** 

## WHMIS Classification:

Not a controlled substance.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

### Ozone Depleting Substances (40 CFR 82 Clean Air Act):

This material does not contain nor was it directly manufactured with an Class I or Class II ozone depleting substances.

### Superfund Amendment & Reauthorization Act (SARA) Title III:

There are no components in this product on the SARA 302 list.

### SARA Hazard Categories (311 / 312):

Immediate Health	Delayed Health	Fire	Pressure	Reactivity
No	No	No	No	No

## SARA Toxic Release Inventory (TRI) (313):

There are no components in this product on the SARA 313 list.

## **Toxic Substances Control Act (TSCA) Status:**

All components of this material are listed on the EPA/TSCA Inventory of Chemical Substances.

#### **Other Chemical Inventories:**

Components of this material are listed on the Australian AICS, Canadian DSL, Chinese Inventory, European EINECS, and Korean Inventory.

#### State Regulation

This material is not regulated by California Prop 65, New Jersey Right-to-Know Chemical List or Pennsylvania Right-to-Know Chemical List. However, for details on your regulation requirements you should contact the appropriate agency in your state.

## SECTION 16: OTHER INFORMATION

NFPA Rating (Health, Fire, Reactivity): 0, 1, 0

MSDS Effective Date: 9/8/2009

MSDS Regulation: The content and format of this MSDS is in accordance with the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### **Disclaimer:**

The information contained herein is based on our current knowledge of the underlying data and is intended to describe the product for the purpose of health, safety and environmental requirements only. No warranty or guarantee is expressed or implied regarding the accuracy of these data or the results to be obtained from the use of the product.