

Multi-Vehicle ATF

Hartland Multi-Vehicle Automatic Transmission Fluid is a synthetic blend of high quality synthetic and mineral base stocks with an advanced additive system for automatic and power shift transmissions. It is recommended to give trouble free performance where Dexron III (H), Mercon, Mercon V, Chrysler ATF +3, +4, Allison C-4, and Caterpillar TO-2 fluids are required.

Hartland Multi-Vehicle Automatic Transmission Fluid provides protection that meets or exceeds the highest quality standards in the industry. It protects against shudder, eliminates the need to stock ATF supplements and ensures a high-performance smooth driving experience. Carefully balanced friction modifiers allow friction retention for long life performance and maintain the smooth lock-ups required by a variety of vehicles. Enhanced oxidation, thermal stability and corrosion resistance help maintain year-round protection of the transmission components.

Hartland Multi-Vehicle Automatic Transmission Fluid can be used in passenger car manual transmissions, trucks and buses, off-highway construction/mining equipment, agricultural equipment, mobile hydraulic systems, industrial machinery, and power steering systems where Dexron, Dexron II, Dexron IIE, Dexron III (H), Mercon or Mercon V type fluids are specified. It is not suitable in a few pre-1986 vehicles where Type F fluids are specified, or some recent vehicles equipped with continuous variable transmissions (CVT's).

Features: Anti-shudder protection, oxidation and thermal stability, outstanding anti-wear performance for optimum protection of transmission parts, Excellent cold temperature flow properties, Protects components from harmful attack by corrosive acids, Excellent compatibility with seal materials to prevent transmission leaks, and year-round performance to assure long equipment life.

Hartland Multi-Vehicle ATF	
Typical Properties	Typical Results
API Gravity	32
Appearance	Red
Fire Point	210
Flash Point	190
Pour Point	-45
Viscosity @ 40° C	34.3
Viscosity @ 100° C	7.1
Viscosity Index	176
Brookfield Viscosity @ -40°C	13,000

Original Equipment Manufacturer	Models	Model Years	OK to USE where these fluids are specified	DO NOT USE where these fluids are specified
Acura	All	1982-2009	Dexron II, Honda ATF-Z1	Dexron VI
Alfa Romeo	All	1982-2009	Dexron II	Dexron VI
AM General	Hummer	All	Dexron III	Dexron VI
AMC/Renault	Alliance 1983-97, Encore 1983-86 GTA 1987		Dexron II, Mercon	Dexron VI
BMW	All except: 2001-04 models GA6HP10Z, GA6HP26Z 6-Spd Automatic: 2003 7451	1982-2009	Dexron II, Esso LT 71141, Shell LA2634, Texaco ETL 7045E, 8072B	Dexron VI Shell ATF M-1375-4 Part# 83220142516
Buick	All	1982-2009	Dexron III	Dexron VI
Cadillac	All	1982-2009	Dexron III	Dexron VI
Chevrolet/Geo/GMC	All	1982-2009	Dexron II, III, AC Delco T-VI	Dexron VI
Chrysler/Dodge/ Plymouth	All	1982-2009	Mopar ATF-Plus, ATF+3, ATF+4, Shell ATF 3403 M115	
Daewo	All	1999-2002	Dexron III	Dexron VI
Eagle	All	1982-2004	Diamond SP-III ATF, Mopar ATF- Plus, +3, +4, Shell ATF 3403 M115	
Ford/Lincoln/Mercury	All	1982-2009	Mercon, Mercon V	ATF Type F, Mercon SP
Ford Trucks	All Except: 1998-05 models w/5R110W; 1997-05 models w/zf6hp26	1982-2009	Mercon, Mercon V	ATF Type F, Mercon SP
Honda	All except: models w/CVT	1982-2009	Dexron II, Honda ATF-Z1	Dexron VI, Honda CVT Fluid
Hyundai	All	1982-2009	Hyundai SP-II, SP-III, Mopar ATF+	Dexron VI
Infiniti	All except: 2002-02 Q45; 2003 G35, 2004 FX35, FX45, QX56	1982-2009	Dexron III, Nissan Matic D, Nissan Matic J ATF	Dexron VI, Nissan
Isuzu	All	1982-2009	Dexron II, III, Isuzu Genuine ATF	Dexron VI
Jaguar	See product recommendation	1993-2009	Dex II, III, Shell ATF 3403 M115	Type F, Shell ATF M 1375-4
Jeep	All	1982-2009	Dexron II, Mercon, Mopar ATF- Plus, +3, +4, Shell ATF 3403 M115	
KIA	All	1982-2009	Dexron II, III, KIA ATF SP-III	Dexron VI
Land Rover	All except: 2002-05 Freelander, 2005 LR3	All	Dexron II, III, Esso LT 71141	Dex VI, Shell ATF M1375-4, Texaco N402
Lexus	All except: 2004-05 LS430, LX 470, GX 470	1982-2009	Dexron III, ATF Type T, ATF Type T-IV	Dexron VI, ATF Type WS (Part No. JWS3324)
Mazda	All except: 2003 Mazda 6 models requiring Type F	1982-2009	Dexron II, III, Mercon, Mercon V	Dexron VI, ATF M-V
Mercedes-Benz	5-speed automatic 1996-1999, All others 1982-2004		Dexron II, III, Shell ATF 3403 M115	Dexron VI
Mini	None	2002-2009	None	Esso CVT EZL 799
Mitsubishi	All	1982-2009	Dexron II, Diamond SP, SP-II, SP-III, Mitsubishi+ATF	Dexron VI
Nissan	All except: 2003-05 Marano w/CVT, 2003-05 350Z, 2004-05 Pathfinder/Titan, 2005 Pathfinder Armada & Xterra	1982-2009	Dexron II, III, Nissan Matic D ATF, Nissan Matic K ATF, Nissan Matic J ATF	Dexron VI, Nissan CVT Fluid NS-2
Oldsmobile	All	1982-2009	Dexron III	Dexron VI
Pontiac	All	1982-2009	Dexron II, III, ATF Type T-IV	Dexron VI
Porsche	All	1982-2009	Dexron II, III, Esso LT71141, Shell ATF 3403 M 115, ATF Type T-IV	Dexron VI
SAAB	All except: 2005 9-3 w/6-spd automatic, models requiring Type F	1982-2009	Dexron II, III, Saab 3309	Dex VI, ATF Type F SAAB 93 165 147
Saturn	All except; models w/CVT transmissions	1991-2007	Dexron III, Honda ATF-Z1, Saturn T-IV	Dexron VI, Dex-CVT Fluid (Part# 22688912)
Scion	All	2004-2007	ATF Type T-IV	Dexron VI



Sterling	All	1987-1991	Dexron II	
Subaru	All except: models w/CVT	1982-2007	Dexron III	Dexron VI
Suzuki	All	1982-2007	Dexron III, Esso LT 71141	Dexron VI
Toyota	All except: 2004 4-Runner w/5-spd automatic, '04 Land Cruiser, 2004-05 Prius, Models requiring Type F	1982-2007	ATF Type T, ATF Type T-IV, Dexron II, III	Dexron VI, ATF Type WS (Part No. JWS3324 or NWS9638)
Volkswagen	All except: 2001-03 Golf, Jetta w/09A 5-speed automatic	1982-2007	Dexron II, Esso LT 71141, ATF Type T-IV	Dexron VI, (Part# G 052 990 (A2))
Volvo	All except: 199-05 XC90 w/AW50AWD, Any requiring Type F	1982-2007	Dexron II, III, ATF Type T-IV	Dexron VI